


Sony VPL FH65 /W/B/L

SONY VPL FH65 /W/B/L



With the VPL FH65 /W/B/L, manufacturer Sony offers a stationary LCD projector with WUXGA 1920 x 1200 resolution and a contrast of 10000:1. Including a lens shift and keystone correction function, which provides freedom during installation. 787 cm image width, the projector will be able to illuminate well. Rooms with residual light can be created by the projector with a smaller image width, we recommend a maximum of 525 cm. If the image is still too small, the integrated edge blending software can help to project a larger image with additional projectors. The projector can also play 1080P without any problems. Even projection onto the ceiling is possible thanks to the 360° projection. At 28 decibels, the projector is very quiet compared to other projectors. The model built in 2015 is no longer offered by Sony.

 3 x 0,76" LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Projector	6000	Screen	2667 Lux (bei 200 cm Screen)
Contrast	10000:1 full on/off	Screen	10000:1 full on/off
Black Level	0,6000 min. Lumen	Screen	0,267 min. Lumen

Vert.: +60% -5% Hori.: +/-32%

Resolution WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source Lampe

Articel Nr.: LMP-F370

Light Life 2000 h.

Operating Costs 6,1% / 0,2 €

Focus Powered


Zoom Powered 1,6

Objective / L optional

Throw Ratio 1,39-2,23:1

Audio -

Connections HDMI in
DVI-D mit HDCP in
D-sub 15pin in und out
BNC Video in
Mini Jack Audio in und out



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

Power

Size WxHxD

Operating Noise

RS232C Din 9 pin in

492W

460 x 169 x 515 mm (18,1"x6,7"x20,3") 40,04 L/dm³

28dB

Weight

Keystone

16,00 kg / 35,27 lbs.

Vert.: +/-30°

Hori.: +/-30°

Illumination

Frequenz

H-sync: 15-92 kHz

V-sync: 48-92 Hz

Foot-Lamberts

248 fL / max. 787 cm screen width

850 cd/m²

- Features

■ Full HD 1080P compatible

■ Lens shift Funktion

■ Eco Mode

■ 360° installable

■ Edge Blending

■ Lan network compatible.

Optional

Object lens original

Object lens original

Object lens original

Object lens original

Object lens original

Ceiling bracket original

Lamp original

VPLL-Z3032

VPLL-Z3024

VPLL-Z3009

VPLL-3007

VPLL-3003

PAM-310

LMP-F370

Air filter compatible original

Remote control original

Alternative zu:PK-F60FB1

149289111 / RM-PJ27 / 148909211 / RM-PJ19

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=hc1316>


Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
Z3032	3.18-4.84:1	6.4-9.7 m	60-5%	+/-32%	Powered
Z3024	2.34-3.19:1	4.7-6.4 m	60-5%	+/-32%	Powered
Z3009	0.85-1:1	1.7-2 m	60-5%	+/-32%	Powered
Fix Optional Lenses					
VPLL-3007	0.65:1	1.3 m	0.00% Fix		No Zoom
VPLL-3003	0.33:1	0.7 m	65--55%		No Zoom

Status

2015 Discontinued (EOL) // Last update of the data: 2023-08-04

Created: 2015-07-08 12:13:43

Data





HCinema

<https://www.projector-database.com/pro/SonyVPLFH65-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.