

Barco IQ Pro G400

BARCO IQ PRO G400



A brief introduction to the Barco IQ Pro G400. The LCD projector has an XGA 1024 x 768 resolution and a contrast of 400:1. The built-in lens shift function provides freedom when adjusting the projection. An image width of up to 564 cm is possible, if the image width is smaller (we recommend max. 376 cm), rooms with residual light are also no problem. The model was built by Barco in 2002 and is no longer current.

 3 x 1,3" LCD TFT Panel mit MLA
XGA 4/3 Liquid Crystal Display with Micro Lense Array

Projector 4200
400:1 full on/off
10,5000 min. Lumen
Screen 1359 Lux (bei 203 cm Screen)
400:1 full on/off
3.424 min. Lumen

Vert.: +60% --15% motorisch
XGA 1024 x 768

Resolution 786.432 Pixel
UXGA 1600 x 1200 compressed

Video Modes NTSC, PAL, SECAM, NTSC 4.43, 1080i, 720p

Application Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

Light Source 2 x 250W UHP Lamp
Articel Nr.: R9841761

Light Life 1000 h.

Operating Costs 38,72% / 1,27 €

Focus Powered


Zoom Powered

Objective optional

Throw Ratio optional

Audio No

Connections 5 x BNC RGBHV in
Composite Video,
S-Video,
YUV in,
1x VGA (D15-Buchse)
1x DVI (Digital Visual Interface)
1x D9-Buchse für RS232C ein/aus
PCMCIA in
4 x USB in
RJ45 in



Ceiling Mounting

Power

Size WxHxD

Operating Noise

Mikrofon in

Yes

620W

415 x 195 x 590 mm (16,3"x7,7"x23,2") 47,75 L/dm³

38dB

Weight

Keystone

Illumination

Frequenz

Foot-Lamberts

12,50 kg / 27,56 lbs.

-

95%

H-sync: 15-110 kHz

V-sync: 25-150 Hz

Range max.: 160 MHz

126 fL / max. 564 cm screen width

432 cd/m²

- Features

 - Lens shift Funktion motorisch
 - Freeze
 - User logo
 - Gamma correction
 - Picture-in-Picture
 - Password protection
 - Remote control with mouse control
 - Remote control with backlight
 - Optional Wi-Fi network compatible.
 - Lan network compatible.
 - Singel Lamp mode
 - smooth picture transition
 - 4 x digital zoom, Pentium III with 1.2 GHz, 256 MB RAM, 10 GB hard disk

Optional

Philips bulb only

Dual lamp ruby

Lamp ruby

Twin lamp original

Lamp original

Compatible lamp

Compatible lamp

Air filter compatible

NLMP9000176

Ruby-LMP9000190

Ruby-LMP9000176

R9841760

R9841761

LMP-K9000165

LMP-K9000166

Alternative zu:R9842800

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n9000181>

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
Barco SVD2-2.5:1	1.83-2.4:1	3.7-4.9 m	58-18%		Powered
Barco QVD3-6:1	3.02-6.05:1	6.1-12.3 m	58-18%		Powered
Barco QVD1.9-2.6:1	1.89-2.55:1	3.8-5.2 m	58-18%		Powered
Barco QVD1.3-1.8:1	1.33-1.73:1	2.7-3.5 m	58-18%		Powered
Fix Optional Lenses					
Barco QVD7:1	6.85:1	13.9 m	58-18%		No Zoom
Barco QVD0.85:1	0.85:1	1.7 m	0.0% Fix		No Zoom
Status	2002 Discontinued (EOL) // Last update of the data: 2023-10-26				

Status

2002 Discontinued (EOL) // Last update of the data: 2023-10-26



More Details



HCinema

<https://www.projector-database.com/pro/barcoiqprog400-en.html>

