

Butterfly PFAK002



BUTTERFLY PFAK002



Brief Introduction

Beta 2.5

The Butterfly PFAK002 LED DLP projector has 180 Ansi lumens, a contrast of 1000:1 and an SVGA 800 x 600 resolution. The manufacturer Butterfly specifies a service life of 20000 hours, which converts to over 13.7 years at 4 hours per day. 117 cm image width, the projector will be able to illuminate well. However, if room light is available, the picture width should ideally not exceed 78 cm. The model built in 2013 is no longer offered by Butterfly.



1 x 0,45" DLP Chip
SVGA 4/3 Ti Digital Light Processing Chip

Display Type

Ansi-Lumen

180

60 Lux (bei 200 cm Screen)

Contrast

1000:1 full on/off

1000:1 full on/off

Black Level

0,1800 min. Lumen

0,06 min. Lumen

Offset

Resolution

SVGA 800 x 600

480.000 Pixel

XGA 1024 x 768 compressed

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Application

Game-Portabel | Very portable, small-screen projections.

Very narrow picture width and rooms with very little light.

Light Source

3LED

Light Life

20000 h.

Operating Costs

0,00 € LED

Focus

Manual

Zoom

No Zoom

Objective

-

Throw Ratio

2,10:1

Audio

1 x 2W

Connections

HDMI in
D-sub 15pin in
Cinch Video in
min USB in
SD-Slot in

Ceiling Mounting

Yes

Power

84W

Size WxHxD

138 x 49 x 135 mm (5,4"x1,9"x5,3") 0,91 L/dm³

Operating Noise

-

Weight

0,480 kg / 1,06 lbs.

Keystone

-

Illumination

-

Frequenz

-

Foot-Lamberts

6 fL / max. 117 cm screen width


21 cd/m²

Features

-

Status

2013 Discontinued (EOL) // Last update of the data: 2024-10-02



More Details



HCinema

<https://www.projector-database.com/pro/butterflypfak002-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.