

Canon LX-MU800Z

CANON LX-MU800Z



Brief Introduction Beta 2.5

The Canon model LX-MU800Z is a DLP laser projector with WUXGA 1920 x 1200 resolution and a contrast of 10500:1. Due to the laser, the projector is specified with 20000 hours of light life, which converts to over 13.7 years at 4 hours per day. The integrated lens shift gives freedom when positioning the projector. Thanks to the brightness of 8000 Ansi lumens, an image width of 909 cm is possible. The projector will also create slightly brighter rooms with a smaller image width (we recommend max. 606 cm). Furthermore, the projector can play 1080P without any problems. Even projection onto the ceiling is possible thanks to the 360° projection. It came onto the market in 2016 and is no longer offered by the manufacturer Canon.



1 x 0,67" DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Display Type

Ansi-Lumen

Projector 8000

Screen 3556 Lux (bei 200 cm Screen)

Contrast

Projector 10500:1 full on/off

Screen 10500:1 full on/off

Black Level

Projector 0,7619 min. Lumen

Screen 0,339 min. Lumen

Lens shift

Vert.: +50% -0% Hori.: +/-10%

Resolution

WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

Laser

Articel Nr.: 0954C001 / LX-RC01

Light Life

20000 h.

Operating Costs

0,00 € Laser

Focus

Powered

Zoom

Powered 1,31

Objective

F=1,64-1,86 f=26-34 mm

Throw Ratio

1,75-2,29:1

Audio

-

Connections


HDMI in

DVI-D

D-Sub 15 pin in und out

5 x BNC RGBHV in

RJ45 mit HDBaseT in



Ceiling Mounting
Power
Size WxHxD
Operating Noise

3G-SDI
12V Trigger out
Yes
8'45W
500 x 216 x 594 mm (19,7"x8,5"x23,4") 64,15 L/dm³
40 / 37 dB in Eco Mode

Weight
Keystone
Illumination

28,00 kg / 61,73 lbs.
Vert.: +/-60°
Hori.: +/-40°
90%

Frequenz

-

Foot-Lamberts

330 fL / max. 909 cm screen width
1131 cd/m²


Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- Kensington Slot
- 360° installable
- PJLink™
- Lan network compatible.
- Crestron®-Software compatible.
- Four-segment colour wheel.

Optional

- Remote control original 0954C001 / LX-RC01
- Object lens original 0951C001 / LX-IL01UW
- Air filter original 0950C001 / LX-FL01
- Object lens original 0949C001 / LX-IL04MZ
- Object lens original 0948C001AB / LX-IL03ST
- Object lens original 0948C001AA / LX-IL03ST
- Object lens original 0946C001 / LX-IL07WF
- Object lens original 0945C001 / LX-IL06UL
- Object lens original 0944C001 / LX-IL05LZ

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=fro9000988>



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
LX-IL06UL	5.31-8.26:1	10.6-16.5 m	50%	+/-10%	Powered
LX-IL05LZ	3.58-5.38:1	7.2-10.8 m	50%	+/-10%	Powered
LX-IL04MZ	2.22-3.67:1	4.4-7.3 m	50%	+/-10%	Powered
LX-IL03ST	1.73-2.27:1	3.5-4.5 m	50%	+/-10%	Powered
LX-IL02WZ	1.25-1.79:1	2.5-3.6 m	50%	+/-10%	Powered
LX-IL01UW	0.75-0.93:1	1.5-1.9 m	50%	+/-10%	Powered
Fix Optional Lenses					
X-IL07WF	0.76:1	1.5 m	0.00% Fix		No Zoom

Status 2016 Discontinued (EOL) // Last update of the data: 2024-10-02
Created: 2016-03-18 11:14:13

Data



More Details



Hcinema

<https://www.projector-database.com/pro/canonlxmu800z-en.html>

