


Christie HD5K

CHRISTIE HD5K



The stationary HD5K DLP has 5000 Ansi-Lumen, a contrast of 1500 - 2000:1 and a HDTV 1920 x 1080 resolution. The built-in lens shift function provides freedom when setting up. The projector can illuminate a picture width of 718 cm well. Rooms with residual light can be created by the projector with a smaller image width, we recommend a maximum of 479 cm. If the image width is not sufficient, the projector offers integrated edge blending software, which allows several projectors to project a large image together. It was launched in 2006 and is no longer offered by the manufacturer Christie. It should also be noted that, unfortunately, there are no longer any replacement lamps available for the projector, neither originals nor replicas.

Brief Introduction

Beta 2.5

Display Type



3 x 0,95" DC3 DLP Chip
HDTV 16/9 Ti Digital Light Processing Chip

Ansi-Lumen

5000

2222 Lux (bei 200 cm Screen)

Contrast

1500 - 2000:1 full on/off

1500 - 2000:1 full on/off

Black Level

3,3333 min. Lumen

1,484 min. Lumen

Lens shift

Vert.: +/-59,5% Hori.: +/-21%

Resolution

HDTV 1920 x 1080

2.073.600 Pixel

Video Modes

QXGA 2048 x 1536 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

Light Source

1000W Xenon Lamp

Article Nr.: 003-120117-01 /

03-000833-01P

Light Life

1500 h.

Operating Costs

-

Focus

Powered

Zoom

Powered

Objective

optional

Throw Ratio

optional

Audio

Nein

Connections


DVI-I mit HDCP in

5 x BNC RGBHV in

S-Video in

Cinch Video in

RS232C



RS422
RJ45
Weitere Anschlüsse optional.



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
2000W
660 x 313 x 566 mm (26"x12,3"x22,3") 116,92 L/dm³
-

Weight
Keystone
Illumination

34,00 kg / 74,96 lbs.
-
90%

Frequenz

H-sync: 15-120 kHz
V-sync: 23,97-150 Hz


Foot-Lamberts

206 fL / max. 718 cm screen width
706 cd/m²

- Features
- Lens shift Funktion
 - Freeze
 - Gamma correction
 - Warping
 - Edge Blending
 - Picture-in-Picture
 - Password protection
 - Remote control with laser pointer
 - Control via web browser
 - Lan network compatible.
 - Optional image warping

Screen Mirroring

-



Optional accessories

Lampe Original	003-120117-01 / 03-000833-01P	EOL €
10 x Luftfilter Original	104-133101-01	224,85 €
Rauch Luftfilter Original	104-127101-01	312,83 €
10 x Grobstaubfilter Original	104-131101-01	511,40 €
Luftfilter Original	104-125101-01	130,01 €
 Deckenhalterung	HeavyDuty	378,28 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
4.1-6.9:1	4.22-7.02:1	8.4-14 m	+/-59.5%	+/-21%	Powered
1.8-2.6:1	1.85-2.55:1	3.7-5.1 m	+/-59.5%	+/-21%	Powered
1.4-1.8:1	1.41-1.9:1	2.8-3.8 m	+/-59.5%	+/-21%	Powered
2.6-4.1:1	2.6-4.23:1	5.2-8.5 m	+/-59.5%	+/-21%	Powered
Fix Optional Lenses					
Christie 1.2:1	1.15:1	2.3 m	+/-59.5%	+/-21%	No Zoom
0.73:1	0.73:1	1.5 m	+/-23.5%	+/-9.5%	No Zoom

Status 2006 Discontinued (EOL) // Last update of the data: 2025-03-03

Data



More Details



HCinema

<https://www.projector-database.com/pro/christiehd5k-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.