


Christie HD7Kc

CHRISTIE HD7Kc



A brief introduction to the Christie HD7Kc. The DLP projector has an HDTV 1920 x 1080 resolution and a contrast of 1600 - 2000:1. The projector also offers a lens shift function, which makes image adjustment child's play. An image width of up to 819 cm is possible, if the image width is smaller (we recommend max. 546 cm), rooms with residual light are also no problem. If the image is still too small, the integrated edge blending software can help to project a large image with additional projectors. It is also Full HD 1080P compatible. This model is no longer offered by Christie. It should also be noted that, unfortunately, there are no more replacement lamps for the projector, neither original nor replica.

Brief Introduction

Beta 2.5



3 x 0,95" DC3 DLP Chip
HDTV 16/9 Ti Digital Light Processing Chip

Display Type

Ansi-Lumen

6500

2889 Lux (bei 200 cm Screen)

Contrast

1600 - 2000:1 full on/off

1600 - 2000:1 full on/off

Black Level

4,0625 min. Lumen

1,808 min. Lumen

Lens shift

Vert.: +/-59,5% Hori.: +/-21%

Resolution

HDTV 1920 x 1080

2.073.600 Pixel

Video Modes

QXGA 2048 x 1536 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

1200W Xenon Lamp

Article Nr.: 003-120116-01 /

03-000834-01P

Light Life

1500 h.

Operating Costs

-

Focus

Powered

Zoom

Powered

Objective

optional

Throw Ratio

optional

Audio

Nein

Connections


DVI-I mit HDCP in

5 x BNC RGBHV in

S-Video in

Cinch Video in

RS232C



RS422
RJ45
Weitere Anschlüsse optional.



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
2000W
660 x 313 x 566 mm (26"x12,3"x22,3") 116,92 L/dm³
-

Weight
Keystone
Illumination

34,00 kg / 74,96 lbs.
-
90%

Frequenz

H-sync: 15-120 kHz
V-sync: 23,97-150 Hz
Range max.: 210 MHz

Foot-Lamberts


268 fL / max. 819 cm screen width
918 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- Freeze
- Gamma correction
- Warping
- Edge Blending
- Picture-in-Picture
- Password protection
- Remote control with laser pointer
- Control via web browser
- Lan network compatible.
- Optional image warping

Screen Mirroring

-



Optional accessories

	Lampe Original	003-120116-01 / 03-000834-01P	EOL €
	10 x Luftfilter Original	104-133101-01	224,85 €
	Rauch Luftfilter Original	104-127101-01	312,83 €
	10 x Grobstaubfilter Original	104-131101-01	511,40 €
	Luftfilter Original	104-125101-01	130,01 €
	Deckenhalterung	HeavyDuty	378,28 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
4.1-6.9:1	4.22-7.02:1	8.4-14 m	+/-59.5%	+/-21%	Powered
1.8-2.6:1	1.85-2.55:1	3.7-5.1 m	+/-59.5%	+/-21%	Powered
1.4-1.8:1	1.41-1.9:1	2.8-3.8 m	+/-59.5%	+/-21%	Powered
2.6-4.1:1	2.6-4.23:1	5.2-8.5 m	+/-59.5%	+/-21%	Powered
Fix Optional Lenses					
1.2:1	1.15:1	2.3 m	+/-59.5%	+/-21%	No Zoom
0.71:1	0.73:1	1.5 m	+/-23.5%	+/-9.5%	No Zoom

Status
Data

2007 Discontinued (EOL) // Last update of the data: 2025-03-03



More Details



HCinema

<https://www.projector-database.com/pro/christiehd7kc-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.