

Christie LX650

CHRISTIE LX650



A brief introduction to the LX650: The Christie LCD projector offers 6500 Ansi lumens, a contrast of 2000:1 and an XGA 1024 x 768 resolution. The integrated lens shift gives freedom when positioning the projector. The projector can illuminate an image width of up to 702 cm thanks to its 6500 Ansi lumens. The projector can create rooms with residual light with a smaller image width, max. 468 cm is recommended. Furthermore, the projector can play 1080P without any problems. The model built in 2007 is no longer offered by Christie.



3 x 1,3" LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Projector

6500
2000:1 full on/off
3,2500 min. Lumen
Vert.: +/-50% Hori.: +/-10% motorisiert

Screen

2167 Lux (bei 200 cm Screen)
2000:1 full on/off
1,085 min. Lumen

XGA 1024 x 768

786.432 Pixel

UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

330W NSH Lamp

Articel Nr.: 003-120333-01

1500 h. 2000 h. in Eco Mode

-

Powered


Powered

optional

optional

1W Stereo

DVI-D mit HDCP in
D-sub 15 pin in und out
5 x BNC RGBHV in
YUV in
S-Video in
Cinch Video in
RS232C



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

USB Typ B



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
480W
370 x 187 x 440 mm (14,6"x7,4"x17,3") 30,44 L/dm³
38dB

Weight
Keystone
Illumination
Frequenz
Foot-Lamberts


11,20 kg / 24,69 lbs.
-
90%
H-sync: 15-100 kHz
V-sync: 50-100 Hz
Range max.: 180 MHz
201 fL / max. 702 cm screen width
689 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion motorisiert
- Freeze
- User logo
- Eco Mode
- Kensington Slot
- Gamma correction
- Remote control with laser pointer
- Optional Wi-Fi network compatible.
- Optional LAN network compatible.

Features

Bulb only NLMP16777
Lamp ruby Ruby-LMP16777
Lamp original 003-120333-01
Compatible lamp LMP-K16777
Universal Remote original Fernb-uni-V3
Air filter compatible Alternative zu:ET-SFYL131 / POA-FIL-131 / 610-334-3747 / 003-001726-01
Remote control original 6450929502 / CXWH
Air filter original ET-SFYL131 / POA-FIL-131 / 610-334-3747 / 003-001726-01
Ceiling Mount 220 Halterung45
Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n16777>

Optional



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
4.2-6.0:1	4.2-6:1	8.4-12 m	50%		Powered
2.3-4.2:1	2.31-4.19:1	4.6-8.4 m	50%		Powered
1.8-2.4:1	1.8-2.4:1	3.6-4.8 m	50%		Powered
1.26-1.81:1	1.26-1.81:1	2.5-3.6 m	50%		Powered
Fix Optional Lenses					
0.8:1	0.81:1	1.6 m	0.0% Fix		No Zoom
Status	2007 Discontinued (EOL) // Last update of the data: 2023-08-04				

Data



More Details



HCinema

<https://www.projector-database.com/pro/christielx650-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.