

Digital Projection HIGHLite Laser 12k WUXGA 3D (Preliminary)



Brief Introduction

Beta 2.5

The Digital Projection HIGHLite Laser 12k WUXGA 3D (Preliminary) 3D laser DLP projector has 12000 Ansi lumens, a contrast of 2000:1 and a WUXGA 1920 x 1200 resolution. The manufacturer Digital Projection specifies a service life of 20000 hours, which is over 13.7 years with a daily viewing time of 4 hours. With the lens shift function, the projector can be positioned very freely. An image width of up to 1113 cm is possible, if the image width is smaller (we recommend max. 742 cm), rooms with residual light are also no problem. The model is also Full HD 1080P and 3D compatible. This model is no longer offered by Digital Projection, but is still a very popular projector.



3 x 0,67 DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Display Type

Ansi-Lumen

12000

Contrast

2000:1 full on/off

Black Level

6,0000 min. Lumen

Lens shift

Vert.: +/-15% Hori.: +/-6%

Resolution

WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

3D Compatibility

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Application

Event | Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

Laser

Light Life

20000 h.

Operating Costs

0,00 € Laser

Focus

Powered

Zoom

Powered

Objective

optional

Throw Ratio

optional

Audio

Nein

HDMI 1.4 in

DVI mit HDCP in

D-sub 15pin in und out

2 x YUV in

Connections

USB Typ A in

RS232C Din 9 pin in

RJ45 mit HDBaseT in

3G-SDI BNC in und out

12V Trigger out

Ceiling Mounting

Yes, is possible.

Power


1600W

Size WxHxD


552 x 290 x 670 mm (21,7"x11,4"x26,4") 107,25 L/dm³

Operating Noise

48dB



Weight	45,00 kg / 99,21 lbs.
Keystone	-
Illumination	87%
Frequenz	Range max.: 170 MHz
Foot-Lamberts	495 fL / max. 1113 cm screen width 1696 cd/m²
Features	Real Full HD 3D Full HD 1080P compatible Lens shift Funktion Lan network compatible.
Screen Mirroring	-



Optional accessories		
	Deckenhalterung	HeavyDuty 378,28 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
110-807	4.34-6.76:1	8.7-13.5 m	+/-15%	+/-6%	Powered
110-806	2.9-4.34:1	5.8-8.7 m	+/-15%	+/-6%	Powered
110-805	2.17-2.9:1	4.3-5.8 m	+/-15%	+/-6%	Powered
110-804	1.74-2.17:1	3.5-4.3 m	+/-15%	+/-6%	Powered
110-803	1.45-1.74:1	2.9-3.5 m	+/-15%	+/-6%	Powered
Fix Optional Lenses					
110-809	1.16:1	2.3 m	+/-5%	+/-2%	No Zoom
110-808	0.77:1	1.5 m	+/-5%	+/-2%	No Zoom

Status	2013 Discontinued (EOL) // Last update of the data: 2025-03-03
Data	Created: 2013-11-29 13:19:28



HCinema

<https://www.projector-database.com/pro/digitalprojectionhighlitelaser12kwuxga-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.

ARY)