

Epson EB-680Wi

EPSON EB-680Wi



The Epson EB-680Wi LCD projector has 3200 Ansi lumens, a contrast of 14000:1 and a WXGA 1280 x 800 resolution. The lamp has a service life of up to 10,000 hours, which is over 13.7 years if enjoyed for two hours a day. The projector is equipped with an integrated media player, so direct playback of files will not be a problem. The horizontal and vertical keystone correction provides leeway when setting up. The model offers a microphone jack plug and 16W speakers, so no additional audio devices are required for presentations or training courses. A screen width of up to 575 cm is possible. However, the image should be smaller in room lighting. We recommend max. 383 cm. The projector offers an interactive whiteboard function for interactive training courses and presentations. A smartphone with MHL connection can be connected directly to the MHL/HDMI port for 1080p / 60 Hz image mirroring (screen mirroring). This model is no longer offered by Epson, but is still very popular in our projector database.



3 x 0,59" D9 LCD TFT Panel mit MLA

WXGA 16/10 Liquid Crystal Display with Micro Lense Array

Brief Introduction Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level
Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

3200 / 1800 im Eco Mode
14000:1 full on/off
0,2286 min. Lumen

1280 Lux (200 cm Screen width)
14000:1 full on/off
0,091 min. Lumen

WXGA 1280 x 800
1.024.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Media player formats: .JPEG .bmp .gif .png .avi (Motion- JPEG)

Whiteboard | Training and company presentations, as well as product presentations.
Medium screen width or rooms with a little more ambient light, max. 200 lumens.

215W Lamp

Article Nr.: ELPLP90 / V13H010L90

5000 h. 10000 h. in Eco Mode


Manual

No Zoom

F=1,8 f=3,71mm

0,28:1

16W



3 x HDMI mit MHL in
 2 x D-sub 15pin in und out
 USB Typ A,B
 RS232C Din 9 pin in
 Mini Jack Audio in und out
 RJ45 in
 Mikrofon in




Connections

Ceiling Mounting
 Power
 Size WxHxD
 Operating Noise

Yes, is possible.
 313 / 228W in Eco Mode
 367 x 149 x 400 mm (14,4"x5,9"x15,7") 21,87 L/dm³
 35 / 28 dB in Eco Mode

Weight
 Keystone
 Illumination
 Frequenz

5,80 kg / 11,02 lbs.
 Vert.: +/-3°
 Hori.: +/-3°



Foot-Lamberts

119 fL / max. 575 cm screen width
 408 cd/m²

Features

- Integrated Mediaplayer
- User logo
- Eco Mode
- Kensington Slot
- sRGB
- Password protection
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Short-throw projector
- Crestron®-Software compatible.
- Digital Zoom
- Whiteboard function.

Screen Mirroring

über HDMI MHL

Optional accessories

	Nackte Lampe	NLMP24100	70,51 €
	Lampe Ruby	Ruby-LMP24100	89,32 €
	Lampe Original	ELPLP90 / V13H010L90	106,77 €
	Kompatible Lampe	LMP-K24097	73,72 €
	Luftfilter Kompatibel	Alternative zu:V13H134A49 / ELPAF49	22,31 €
	Interactive Pen Spitzen Original	V12H776010 / ELPPS04	18,15 €
	Interactive Pen Spitzen Original	V12H775010 / ELPPS03	18,15 €
	Interaktiver Stift blau Original	V12H774010 / ELPPN05B	60,99 €

	Interaktive Stift orange Original	V12H773010 / ELPPN05A	60,99 €
	Fernbedienung	Fernb-uni-V3	22,31 €
	Fernbedienung Original	2173589	24,07 €
	Luftfilter Original	V13H134A49 / ELPAF49	39,14 €
	Deckenhalterung 100-120	Halterung100	47,86 €

Status

2017 Discontinued (EOL) // Last update of the data: 2026-05-05
Created: 2017-01-06 09:50:47



More Details



HCinema

<https://www.projector-database.com/pro/epsoneb680wi-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.