


Epson EB-L20000U

EPSON EB-L20000U



The Epson model EB-L20000U is an LCD projector with WUXGA 1920 x 1200 resolution and a contrast of 2500000:1. The integrated lens shift gives freedom when positioning the projector. Thanks to the brightness of 20000 Ansi lumens, an image width of 1437 cm is possible. The projector can also handle slightly brighter rooms with a smaller image width (we recommend max. 958 cm). If the image width is not sufficient, the projector offers integrated edge blending software, which allows several projectors to project a large image together. Furthermore, the projector can play 1080P and 4K (compressed) without any problems, and even has the option of projecting HD 1080P and 4K (compressed) Blu-rays onto the ceiling using 360° projection. On the market since 2020, the model is no longer offered by the manufacturer Epson.



3 x 1,03" LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Projector

20000 / 14000 im Eco Mode
2500000:1 full on/off
0,0080 min. Lumen

Screen

8889 Lux (bei 200 cm Screen)
2500000:1 full on/off
0,004 min. Lumen

Vert.: +/-60% Hori.: +/-18%
WUXGA 1920 x 1200

2.304.000 Pixel
UHD (4K+2K) 4096 x 2160 compressed

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p
Event | Very large screen width and rooms with plenty of light and shaded daylight.

Laser

Article Nr.: V13H134A58 / ELPAF58

-

0,00 € Laser

Powered


Powered 1,63

optional

optional

Nein

HDMI in
DVI in
D-sub 15pin in und out
USB Typ B in
RS232C Din 9 pin in



16/9 screen width: 200 cm
Screen: 1 Gain

Brief Introduction

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

ELPLU04	0.64-0.77:1	1.3-1.5 m	+/-60%	+/-18%	Powered
ELPLU03	0.48-0.57:1	1-1.1 m	+/-24%	+/-10%	Powered
ELPLM15	1.57-2.56:1	3.1-5.1 m	+/-60%	+/-18%	Powered
ELPLM11	3.54-5.41:1	7.1-10.8 m	+/-60%	+/-18%	Manual
ELPLM10	2.42-3.71:1	4.8-7.4 m	+/-60%	+/-18%	Powered
ELPLL08	5.27-7.41:1	10.5-14.8 m	+/-60%	+/-18%	Powered

Fix Optional Lenses

ELPLX02 / ELPLX02W	0.35:1	0.7 m	+/-15%	+/-15%	No Zoom
--------------------	--------	-------	--------	--------	---------

Status2020 Discontinued (EOL) // Last update of the data: 2025-03-03
 Created: 2020-03-03 12:44:58

Data



More Details



HCinema

<https://www.projector-database.com/pro/epsonebl20000u-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.