

Epson EB-L270F

EPSON EB-L270F



Brief Introduction

Beta 2.5

The EB-L270F laser LCD projector from Epson has 5,200 ANSI lumens, a contrast ratio of 5,000,000:1 and an HDTV resolution of 1,920 x 1,080. It is a laser projector with a lamp life of 20,000 hours, which equates to over 13.7 years at 4 hours? use per day. Thanks to its horizontal and vertical keystone correction, the projector can be positioned with great flexibility. The projector is capable of illuminating an image width of up to 733 cm. In rooms with ambient light, the projector performs best with a narrower image width; we would recommend a maximum of 489 cm in such cases. As the projector optionally supports AirPlay and Miracast screen mirroring signals, it is possible to stream high-resolution videos with surround sound directly from a smartphone, tablet or PC (Android, Windows and iOS) via Wi-Fi. Furthermore, the projector can play 1080p and 4K (compressed) content without any issues.

 3 x 0,62" Poly-Silicon Active Matrix LCD Panel mit C2 Fine HDTV 16/9 Liquid Crystal Display

Display Type

Ansi-Lumen
Contrast
Black Level
Offset

Projector	5200 / 3600 ECO Mode	Screen	2311 Lux (200 cm Screen width)
	5000000:1		5000000:1
	0,0010 min. Lumen		0 min. Lumen

Resolution

HDTV 1920 x 1080
2.073.600 Pixel
UHD (4K2K) 3840 x 2160 compressed
Video Modes
Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p
Standard-Portabel | External training and company presentations, as well as product presentations.

Application

Wide screen width or rooms with plenty of light (over 200 lumens).

Light Source

Laser
Article Nr.: ELPAF60
Light Life
20000 h. / 30000 h. in Eco Mode

Operating Costs

0,00 € Laser

Focus

Manual

Zoom

Manual x1,62

Objective


F=1,51-1,77 f=18,2-29,1 mm

Throw Ratio

1,32-2,12:1

Audio

16W Mono



- 2x HDMI (with CEC Control)
- D-sub 15-pin VGA Input
- D-sub 15-pin VGA Input/Monitor Out
- RCA Composite
- 2x Audio Mini Jack In und 1x Out
- Audio In (Red/White RCA)
- D-sub 9-pin RS-232c
- USB-A (with 5 V/2 A power supply)
- USB-B (for coping settings or USB Display)
- LAN RJ-45
- 1x Mic In (3.5 mm Stereo mini)

Connections




- Ceiling Mounting
- Power
- Size WxHxD
- Operating Noise

Yes, is possible.
 291W Normal / 226W Eco
 325,1 x 104,1 x 297,2 mm (12,8"x4,1"x11,7") 10,04 L/dm³
 38 / 28 dB in Eco Mode

- Weight
- Keystone
- Illumination

4,31 kg / 8,82 lbs.
 Vert.: +/-30°
 Hori.: +/-30°



- Frequenz
- Foot-Lamberts

V-sync: 192-240 Hz
 215 fL / max. 733 cm screen width
 737 cd/m²

Features

- Full HD 1080P compatible
- Blackboard Modus
- User logo
- Eco Mode
- Kensington Slot
- Password protection
- Control via web browser
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Crestron®-Software compatible.
- Epson iProjection
- Free Fleet Management Software
- DICOM Sim
- Extron IP Link
- AMX
- Control4

Screen Mirroring

Miracast, Airplay, Epson iProjection

Optional accessories

	Luftfilter Original	ELPAF60 / V13H134A60	39,57 €
	Fernbedienung Original	2198635	28,52 €
	Deckenhalterung Länge 100-120 mm	Halterung100	47,86 €

Status

2026 Current model // Last update of the data: 2026-08-11
 Created: 2026-07-29 09:08:45

Data



More Details



HCinema

<https://www.projector-database.com/pro/epsonebl270f-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.