

# Hitachi CP WX4021N

HITACHI CP WX4021N



A brief introduction to the CP WX4021N: The Hitachi LCD projector offers 4000 Ansi-Lumen, a contrast of 2000:1 and a WXGA 1280 x 800 resolution. The integrated media player allows files to be played directly. With the lens shift function, the projector can be positioned very freely. As the CP WX4021N is equipped with a microphone jack plug and 16W speakers, no additional audio system is required for presentations or training courses. 643 cm picture width, the projector will be able to illuminate well. The projector can manage rooms with residual light with a smaller image width, we would recommend a maximum of 429 cm here. Playing 1080P is also no problem for the projector. It was launched in 2010 and is no longer offered by the manufacturer Hitachi, but is still very popular in our projector database.

## Brief Introduction Beta 2.5

## Display Type



3 x 0,59" LCD TFT Panel  
WXGA 16/10 Liquid Crystal Display

## Ansi-Lumen

Projector

4000 / 2800 im Eco Mode

Screen

1600 Lux (bei 200 cm Screen)

## Contrast

2000:1 full on/off

2000:1 full on/off

## Black Level

2,0000 min. Lumen

0,801 min. Lumen

## Lens shift

Vert.: +60% -35,7% Hori.: +/-5%

## Resolution

WXGA 1280 x 800

1.024.000 Pixel

UXGA 1600 x 1200 compressed

## Video Modes

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

**Media player formats:** JPEG BMP PNG GIF

## Application

Standard-Portabel | External training and company presentations, as well as product presentations.

Wide screen width or rooms with plenty of light (over 200 lumens).

## Light Source

245W UHB Lamp

Articel Nr.: DT01171

## Light Life

3000 h. 5000 h. in Eco Mode

## Operating Costs

21,43% / 0,09 €

## Focus

Manual

## Zoom

Manual 1,2

## Objective

F=1,6-2,1 f=19-32 mm

## Throw Ratio

1,5-2,5:1

## Audio

16W

## Connections


HDMI

D-sub 15 pin in 1 x out

5 x BNC RGBHV in

S-Video in

Cinch Video in



YUV in  
Cinch Stereo in  
RS232C Din 9pin in  
Mini Jack Audio in  
USB Typ A,B  
RJ45 in  
Mikrofon in



Ceiling Mounting Yes  
Power 360W / 5W standby  
Size WxHxD 400 x 103 x 318 mm (15,7"x4,1"x12,5") 13,1 L/dm³  
Operating Noise 36 / 30 dB in Eco Mode

Weight 4,60 kg / 10,14 lbs.  
Keystone Vert.: +/-40° automatisch  
Hori.: +/-40°

Illumination -


Frequenz H-sync: 31,5-106 kHz  
V-sync: 56-120 Hz

Foot-Lamberts 149 fL / max. 643 cm screen width  
511 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion
- Integrated Mediaplayer
- Freeze
- Blank (Black screen button)
- Blackboard Modus
- User logo
- Eco Mode
- Automatic and manual vertical keystone correction
- Kensington Slot
- Gamma correction
- Dynamic iris
- Password protection
- PJLink™
- Control via web browser
- Lan network compatible.
- Overscan adjustable
- Crestron®-Software compatible.

|                                |  |
|--------------------------------|--|
| Philips bulb only              | NLMP20018                                  |
| Lamp ruby                      | Ruby-LMP20018                              |
| Lamp incl. air filter original | DT01171                                    |
| Compatible lamp                | LMP-K20017                                 |
| Air filter compatible          | Alternative zu:MU06641                     |
| Remote control original        | HL02881- R016F / HL03032 - R017H / HL02483 |
| Air filter original            | MU06641                                    |
| Ceiling Mount 100-120          | Halterung100                               |

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n20018>  
2010 Discontinued (EOL) // Last update of the data: 2023-08-04



Data



# HCinema

<https://www.projector-database.com/pro/hitachicpwx4021-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.