

InFocus IN5135

INFOCUS IN5135



A brief introduction to the InFocus IN5135. The stationary LCD projector has an HDTV 1920 x 1080 resolution and a contrast of 3000:1. The integrated media player allows files to be played directly. The projector also offers a lens shift function that makes image adjustment childs play. The projector can illuminate images up to 658 cm wide thanks to its 4200 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 439 cm. The model is also Full HD 1080P compatible. The projector was launched in 2012 and is no longer sold by the manufacturer.



3 x LCD TFT Panel
HDTV 16/9 Liquid Crystal Display

Projector	4200 / 3360 im Eco Mode	Screen	1867 Lux (bei 200 cm Screen)
	3000:1 full on/off		3000:1 full on/off
	1,4000 min. Lumen		0,623 min. Lumen

Vert.: +50% -11,1% Hori.: +/-10%
HDTV 1920 x 1080

2.073.600 Pixel
WUXGA 1920 x 1200 compressed
Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: JPEG (.jpeg, .jpg) Bitmap (.bmp) PNG (.png) GIF (.gif) Movie (.avi, .mov)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

245 / 170W im Eco Mode Lamp

Articel Nr.: SP-LAMP-080

2500 h. 4000 h. in Eco Mode

3,35% / 0,11 €

Powered


Powered 2

F=1,6-2,9 f=24-48 mm

1,5-3,0:1

2 x 8W

2 x HDMI 1.4 in
D-sub 15 pin in und out
5 x BNC RGBHV in
YUV in
S-Video in
Cinch Video in



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

USB Typ A, B in
Mini Jack Audio in und out
RJ45 in
RS232C
Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
375W
498 x 147 x 476 mm (19,6"x5,8"x18,7") 34,85 L/dm³
35 / 29 dB in Eco Mode

Weight
Keystone
Illumination

8,40 kg / 17,64 lbs.
Vert.: +/-35°
Hori.: +/-35°
-

Frequenz
Foot-Lamberts

H-sync: 31,5-106 kHz
V-sync: 56-120 Hz
173 fL / max. 658 cm screen width
593 cd/m²


Features

- Full HD 1080P compatible
- Lens shift Funktion
- Integrated Mediaplayer
- Eco Mode
- Kensington Slot
- Dynamic iris
- 24/7 continuous operation capable
- PJLink™
- Lan network compatible.
- Crestron®-Software compatible.
- DICOM Mode

Optional

- Lamp original SP-LAMP-080
- Air filter original MU06642 / SP-FLITER-02
- Object lens original LENS-073
- Object lens original LENS-072
- Object lens original LENS-071
- Object lens original LENS-070
- Object lens original LENS-069
- Remote control original INFOCUS-IN5132

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=21003>



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
LENS-073	4.9-8.3:1	9.8-16.6 m	50%	+/-10%	Powered
LENS-072	2.8-4.9:1	5.6-9.8 m	50%	+/-10%	Powered
LENS-071	1.5-3:1	3-6 m	50-11.1%	+/-10%	Powered
LENS-070	1.5-2.2:1	3-4.4 m	50%	+/-10%	Powered
Fix Optional Lenses					
LENS-069	0.8:1	1.6 m	0.0% Fix		No Zoom
Status	2012 Discontinued (EOL) // Last update of the data: 2023-08-30				

Data





HCinema

<https://www.projector-database.com/pro/infocusin5135-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.