

InFocus IN5145

INFOCUS IN5145



The IN5145 LCD projector from InFocus has 5000 Ansi lumens, a contrast of 3000:1 and an HDTV 1920 x 1080 resolution. Includes an integrated media player for direct file playback. The built-in lens shift and keystone correction function provides freedom when setting up. The projector can illuminate images up to 718 cm wide thanks to its 5000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, max. 479 cm is recommended. The model is also Full HD 1080P compatible and can therefore project Blu-rays even onto the ceiling thanks to 360° projection. The model built in 2012 is no longer offered by InFocus.

 3 x LCD TFT Panel
HDTV 16/9 Liquid Crystal Display

Projector	5000 / 3400 im Eco Mode	Screen	2222 Lux (bei 200 cm Screen)
Contrast	3000:1 full on/off		3000:1 full on/off
Black Level	1,6667 min. Lumen		0,741 min. Lumen

Lens shift
Vert.: +50% -11,1% Hori.: +/-10%
HDTV 1920 x 1080

Resolution
2.073.600 Pixel
WUXGA 1920 x 1200 compressed
Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Video Modes
Media player formats: JPEG (.jpeg, .jpg) Bitmap (.bmp) PNG (.png) GIF (.gif) Movie (.avi, .mov)

Application
Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

Light Source
330 / 264W im Eco Mode Lamp

Light Life
Articel Nr.: SP-LAMP-081

2500 h. 3000 h. in Eco Mode

Operating Costs
4,27% / 0,14 €

Focus
Powered


Zoom
Powered 2

Objective
F=1,6-2,9 f=24-48 mm

Throw Ratio
1,5-3,0:1

Audio
2 x 8W

Connections
2 x HDMI 1.4 in
D-sub 15 pin in und out
5 x BNC RGBHV in
YUV in
S-Video in



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Cinch Video in
USB Typ A, B in
Mini Jack Audio in und out
RJ45 in
RS232C
Ceiling Mounting Yes
Power 480W
Size WxHxD 498 x 147 x 476 mm (19,6"x5,8"x18,7") 34,85 L/dm³
Operating Noise 37 / 31 dB in Eco Mode

Weight 8,40 kg / 17,64 lbs.
Keystone Vert.: +/-35°
Hori.: +/-35°
Illumination -

Frequenz H-sync: 31,5-106 kHz
V-sync: 56-120 Hz

Foot-Lamberts 206 fL / max. 718 cm screen width
706 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion
- Integrated Mediaplayer
- Eco Mode
- Kensington Slot
- Dynamic iris
- 360° installable
- 24/7 continuous operation capable
- Password protection
- PJLink™
- Lan network compatible.
- Crestron®-Software compatible.
- DICOM Mode

Optional
Air filter original UX38241 / SP-FLITER-03
Lamp original SP-LAMP-081
Object lens original LENS-073
Object lens original LENS-072
Object lens original LENS-071
Object lens original LENS-070
Object lens original LENS-069

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=fi21006>

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
LENS-073	4.9-8.3:1	9.8-16.6 m	50%	+/-10%	Powered
LENS-072	2.8-4.9:1	5.6-9.8 m	50%	+/-10%	Powered
LENS-071	1.5-3:1	3-6 m	50-11.1%	+/-10%	Powered
LENS-070	1.5-2.2:1	3-4.4 m	50%	+/-10%	Powered

Fix Optional Lenses

LENS-069	0.8:1	1.6 m	0.0% Fix	No Zoom	
----------	-------	-------	----------	---------	--

Status 2012 Discontinued (EOL) // Last update of the data: 2023-08-30



Data





HCinema

<https://www.projector-database.com/pro/infocusin5145-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.