

JVC DLA-X5000


JVC DLA-X5000



A brief introduction to the DLA-X5000: The JVC 3D DILA projector offers 1700 Ansi lumens, a contrast of 40000:1 and a UHD (4K2K) 3840 x 2160 resolution. Including a lens shift function, which provides freedom during installation. 419 cm image width, the projector will be able to illuminate well. However, if room light is available, the image width should ideally not exceed 279 cm. Playback of 1080P and 4K as well as 3D is also no problem for the projector, which means that all Blu-ray formats currently available can be recognized by the projector. At 21 decibels, the projector is very quiet compared to other projectors. The projector was launched in 2015 and is no longer sold by the manufacturer, but is still a very popular projector.

Brief Introduction Beta 2.5

Display Type	 3 x 0,7" DILA Chip HDTV 16/9 Direct-Drive Image Light Amplification (D-ILA)	
Ansi-Lumen	Projector 1700	Screen 756 Lux (bei 200 cm Screen)
Contrast	40000:1 full on/off	40000:1 full on/off
Black Level	0,0425 min. Lumen	0,019 min. Lumen
Lens shift	Vert.: +/-80% Hori.: +/-34%	
Resolution	UHD (4K2K) 3840 x 2160 8.294.400 Pixel / FHD E-Shift HD4K 4096 x 2160 compressed	
Video Modes	Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), 3D, EDTV 480p, 576p	
Disc Recognition	DVD HD Blu-ray 3D Blu-ray 4K UHD Blu-ray (60p)	
3D Compatibility	Frame-Packing (Full HD 3D) Side-by-Side Top-and-Bottom Frame Sequential (3D Ready) 2D-zu-3D Video Converter	
Application	High-End Homecinema Small screen width, rooms with very little ambient light below 100 lumens.	
Light Source	265W NSH Lamp Article Nr.: PK-L2615U	
Light Life	h.	
Operating Costs	-	
Focus	Powered	
Zoom	Powered 2	
Objective	F=3,2-4,0 f=21,4-42,8 mm	
Throw Ratio	1,4-2,8:1	
Audio	Nein	



2 x HDMI 2.0a mit HDCP 2.2
RS232C
RJ45 in
12V Trigger out



Connections

Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
380W
455 x 179 x 472 mm (17,9"x7"x18,6") 38,44 L/dm³
21dB

Weight
Keystone
Illumination

15,40 kg / 33,95 lbs.
-
-

Frequenz

-

Foot-Lamberts


70 fL / max. 419 cm screen width
240 cd/m²

Features

- Real Full HD 3D
- Full HD 1080P compatible
- Lens shift Funktion
- sRGB
- Gamma correction
- High Dynamic Range (HDR)
- Remote control with backlight
- Lan network compatible.
- Model 'WE' is white casing.
- Model 'BE' is black casing.

Screen Mirroring

-



Optional accessories

	Lampe Ruby	Ruby-LMP23576	194,48 €
	Lampe Original	PK-L2615UG / PK-L2615U	602,04 €
	Kompatible Lampe	LMP-K23576	94,09 €
	Deckenhalterung 220	Halterung45	83,60 €

Status

2015 Discontinued (EOL) // Last update of the data: 2025-03-03
Created: 2016-07-25 14:51:50

Data



More Details



HCinema

<https://www.projector-database.com/pro/jvcdlax5000-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.