

Optoma UHZ67

EAN/UPC:5055387669727

OPTOMA UHZ67



A brief introduction to the UHZ67: The Optoma 3D Laser DLP projector offers 4,300 ANSI lumens, a contrast ratio of 500,000:1 and a UHD (4K2K) resolution of 3,840 x 2,160. Thanks to its laser technology, the projector has a lamp life of up to 30,000 hours, which would equate to over 20.5 years based on 4 hours? viewing per day. It includes a built-in media player that allows files to be played directly. Horizontal and vertical keystone correction ensures that setting up the image is child?s play. With 4,300 ANSI lumens, an image width of up to 643 cm is possible. In rooms with ambient light, the projector performs best with a narrower image width; we would recommend a maximum of 429 cm. The model optionally supports AirPlay and Miracast screen mirroring signals, making it possible to play high-resolution videos with surround sound directly via Wi-Fi from a smartphone, tablet or PC (Android, Windows and iOS). The projector also has no problem playing 1080p, 4K and 3D content, meaning it can support all currently available Blu-ray formats.

 1 x 0,55" DMD DLP Chip
HDTV 16/9 Ti Digital Light Processing Chip

Projector	4300	Screen	1911 Lux (200 cm Screen width)
Contrast	500000:1 full on/off		500000:1 full on/off
Black Level Offset	0,0086 min. Lumen		0,004 min. Lumen

Resolution

UHD (4K2K) 3840 x 2160

8.294.400 Pixel / FHD E-Shift

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), 3D, EDTV 480p, 576p

Media player formats: NTSC M/J, 3.58MHz, 4.43MHz PAL B/D/G/H/I/M/N, 4,43MHz SECAM B/D/G/K/K1/L, 4.25/4.4MHz 480i/p, 576i/p, 720p(50/60Hz), 1080i(50/60Hz), 1080p(50/60Hz)

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Standard-Portabel | Gaming | External training and company presentations, as well as product presentations.

Wide screen width or rooms with plenty of light (over 200 lumens).

Light Source

Laser

30000 h.

Operating Costs

0,00 € Laser

Focus

Manual

Zoom


Manual x1,6

Objective

f=20,91-32,62 mm

Throw Ratio

1,4-2,24:1



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio	1 x 15W	
Connections	2x HDMI 2.0 (1xeARC) in Mini Jack Audio out 3D Sync out USB-A (1.5A) in RS232C Din 9 pin in 12V Trigger RJ45	
Ceiling Mounting	Yes, is possible.	
Power	178W Max. / 124W Min.	
Size WxHxD	274 x 114 x 216 mm (10,8"x4,5"x8,5") 6,75 L/dm³	
Operating Noise	35 / 29 dB in Eco Mode	

Weight	2,90 kg / 4,41 lbs.
Keystone	Vert.: +/-30°
	Hori.: +/-30°
Illumination	80%

Frequenz	H-sync: 15-150 kHz
	V-sync: 24-240 Hz
Foot-Lamberts	178 fL / max. 643 cm screen width
	610 cd/m²

- Real Full HD 3D
- Full HD 1080P compatible
- Integrated Mediaplayer
- Eco Mode
- 360° installable
- 24/7 continuous operation capable
- PLink™
- Lan network compatible.
- Crestron®-Software compatible.
- WISA Soundsend Certified
- Color Management System (CMS)
- Optoma Smart Control App
- Golf Mode
- Game Mode
- 24 FPS Mode
- AMX
- Game Mode Input Latency: 6.5 ms @ 1080p 240 Hz
- Refresh Rate: 240 Hz @ 1080p

Screen Mirroring	Miracast, Airplay
------------------	-------------------

Optional accessories

	Fernbedienung Original	BR-ZH400	28,86 €
	Deckenhalterung Länge 100-120 mm	Halterung100	47,86 €

Status	2023 Current model // Last update of the data: 2026-08-11
	Created: 2026-07-23 09:46:14

Data	
------	--



More Details

HCinema

<https://www.projector-database.com/pro/optomauhz67-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.