

Optoma ZU725TST

OPTOMA ZU725TST



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen
Contrast
Black Level
Lens shift
Resolution

Video Modes

Disc Recognition

With the ZU725TST, manufacturer Optoma offers a DLP laser projector with WUXGA 1920 x 1200 resolution and a contrast of 1100:1. The manufacturer specifies a laser service life of 30,000 hours, which is over 20.5 years if enjoyed for four hours a day. The integrated media player allows files to be played directly. Includes a lens shift and keystone correction function, which provides freedom during installation. Thanks to the short throw projection ratio of just 0.75:1, the projector is not distracting in the room. For a 2m wide image, the projector only needs to be 150 cm away from the screen. In the event that the image is still too small, the projector offers integrated edge blending software, which allows several projectors to project a large image together. The projector can also play 1080P and 3D without any problems. Even projection onto the ceiling is possible thanks to the 360° projection. At just 29 decibels, the device is one of the quieter projectors.



1 x DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Projector
7000
1100:1 full on/off
6,3636 min. Lumen

Screen
3111 Lux (200 cm Screen width)
1100:1 full on/off
2,834 min. Lumen

Vert.: +/-50% Hori.: +/-15%
WUXGA 1920 x 1200
2.304.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

Media player formats: MP3 (.mp3) AVI (.avi) MP4 (.mp4, .mov, .m4a) MPEG-Transportstrom (.ts, .trp, .tp) MPEG-Programmstrom (.DAT, .VOB, .MPG, .MPEG) MP3 (.mp3) AVI (.avi) Matroska (.mkv, .mka) MP4 (.mp4, .mov, .m4a) MPEG-Transportstrom (.ts, .trp, .tp) MPEG-Programmstrom (.DAT, .VOB, .MPG, .MPEG) MP3 (.mp3) Matroska (.mkv, .mka) MP4 (.mp4, .mov, .m4a) MPEG-Transportstrom (.ts, .trp, .tp) MPEG-Programmstrom (.DAT, .VOB, .MPG, .MPEG) AAC (.aac) MP4 (.mp4, .mov, .m4a) MPEG-Transportstrom (.ts, .trp, .tp) MPEG-Programmstrom (.DAT, .VOB, .MPG, .MPEG) WAV (.wav) AVI (.avi) Matroska (.mkv, .mka) MP4 (.mp4, .mov, .m4a) MPEG-Transportstrom (.ts, .trp, .tp) MPEG-Programmstrom (.DAT, .VOB, .MPG, .MPEG) WAV (.wav) AVI (.avi) Matroska (.mkv, .mka) MP4 (.mp4, .mov, .m4a)

DVD | HD Blu-ray | 3D Blu-ray | 4K-UHD-Blu-ray

3D Compatibility Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom
Application Frame Sequential (3D Ready) | 2D-zu-3D Video Converter
Light Source Short Distance | Very large screen width and rooms with plenty of light and shaded daylight.
Light Life DuraCore Laser
30000 h.

Operating Costs 0,00 € Laser

Focus Powered

Zoom Powered x1,26

Objective f=11,11-14,16 mm

Throw Ratio 0,75-0,95:1

Audio 2 x 10W
2x HDMI in
HDBaseT
3D Sync
Mini Jack Audio in und out
USB-B Service in
RS232C Din 9 pin in
RJ45 in
12V Trigger

Connections



Ceiling Mounting Yes, is possible.
Power 510 / 320W in Eco Mode
Size WxHxD 484 x 178,5 x 376 mm (19,1"x7"x14,8") 32,39 L/dm³
Operating Noise 29 / 27 dB in Eco Mode

Weight 12,90 kg / 26,46 lbs.

Keystone Vert.: +/-30°



Illumination Hori.: +/-30°

85%

Frequenz -

Foot-Lamberts 289 fL / max. 850 cm screen width
990 cd/m²

- Features
- Real Full HD 3D
 - Full HD 1080P compatible
 - Direkt Power Off
 - Lens shift Funktion
 - Integrated Mediaplayer
 - Eco Mode
 - Kensington Slot
 - High Dynamic Range (HDR)
 - Warping
 - 360° installable
 - 24/7 continuous operation capable
 - Edge Blending
 - Password protection
 - PJLink™
 - Lan network compatible.
 - Short-throw projector
 - Crestron®-Software compatible.
 - Integrated warping and edge blending processor
 - AMX



- IP5X dust-resistant optical unit
- portrait projection
- Colour Management System (CMS)
- True AV Mute
- wired remote control connection

Screen Mirroring

-

Optional accessories

	Fernbedienung Original	BR-3075W / 45.79P01G001A	44,33 €
	Deckenhalterung 220	Halterung45	83,60 €

Status

2022 Current model // Last update of the data: 2025-11-22
Created: 2023-03-21 11:03:01

Data



More Details



HCinema
<https://www.projector-database.com/pro/optomazu725tst-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.