

Panasonic PT DW100E/U

PANASONIC PT DW100E/U



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

A brief introduction to the Panasonic PT DW100E/U. The large-screen DLP projector has a WXGA 1366 x 768 resolution and a contrast of 5000:1. The built-in lens shift and keystone correction function provides freedom when setting up. The projector can illuminate images up to 1016 cm wide thanks to its 10000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, max. 677 cm is recommended. In the event that the image is still too small, the projector offers integrated edge blending software, which allows several projectors to project a large image together. It is also Full HD 1080P compatible. The model built in 2006 is no longer offered by Panasonic.



3 x 0,85" DLP Chip

WXGA 16/9 Ti Digital Light Processing Chip

Projector

10000

5000:1 full on/off

2,0000 min. Lumen

Vert.: +/-60% Hori.: +/-20% motorisch

WXGA 1366 x 768

1.049.088 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Event | Very large screen width and rooms with plenty of light and shaded daylight.

4 x 300W Lamp

Article Nr.: ET-LAD12K

2000 h. in Eco Mode

-

Powered

Powered

optional

optional

Nein


DVI-D mit HDCP
5 x BNC RGBHV in
BNC Video in und out
RS232C in und out
RS442C in
Fernbedienung in und out
RJ45 in

4444 Lux (bei 200 cm Screen)

5000:1 full on/off

0,889 min. Lumen

Screen




Ceiling Mounting	Weitere Anschlüsse optional
Power	Yes, is possible.
Size WxHxD	1450W / 12W standby
Operating Noise	578 x 320 x 643 mm (22,8"x12,6"x25,3") 118,93 L/dm³
	35 dB in Eco Mode

Weight	32,00 kg / 70,55 lbs.
Keystone	Vert.: +/-40°
Illumination	-
Frequenz	H-sync: 15-100 kHz V-sync: 24-120 Hz Range max.: 162 MHz
Foot-Lamberts	413 fL / max. 1016 cm screen width 1415 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion motorisch
- Eco Mode
- sRGB
- Gamma correction
- Dynamic iris
- Edge Blending
- Picture-in-Picture
- Password protection
- Remote control with backlight
- PJLink™
- Control via web browser
- Lan network compatible.
- Digital zoom
- Liquid cooling system
- De-interlacer with 3:2 pull down.

Screen Mirroring

-



Optional accessories			
	4-er Pack Lampe Ruby	Ruby-LMP18583	630,95 €
	Einzel Lampe Ruby	Ruby-LMP18582	14.037,64 €
	4-er Pack Lampe Original	ET-LAD12KF / ET-LAD12000F	EOL €
	Einzel Lampe Original	ET-LAD12K / ET-LAD12000	EOL €
	Objektiv Original	ET-D75LE8	11.301,03 €
	Objektiv Original	ET-D75LE6	EOL €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Fernbedienung Original	N2QAYB000076	EOL €
	Luftfilter Original	TKNE067	EOL €
	Rauch-Luftfilter Original	ET-SFD100	EOL €
	Deckenhalterung	HeavyDuty	378,28 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ET-D75LE8	8.2-15.4:1	16.4-30.8 m	+/-60%	+/-20%	Powered
ET-D75LE6	1-1.2:1	2-2.4 m	+/-50%	+/-15%	Powered
ET-D75LE4	5.2-8.2:1	10.4-16.4 m	+/-60%	+/-20%	Powered

ET-D75LE3	3.1-5.2:1	6.2-10.4 m	+/-60%	+/-20%	Powered
ET-D75LE2	2.1-3.1:1	4.2-6.2 m	+/-60%	+/-20%	Powered
ET-D75LE1	1.5-1.8:1	3-3.6 m	+/-60%	+/-20%	Powered

Fix Optional Lenses

ET-D75LE5	0.8:1	1.6 m	0.0% Fix	No Zoom
-----------	-------	-------	----------	---------

Status
Data2006 Discontinued (EOL) // Last update of the data: 2025-03-03

More Details



HCinema

<https://www.projector-database.com/pro/panasonicptdw100-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice.
HCinema is not responsible for any errors or omissions contained in product descriptions.