

Panasonic PT-MZ880 /E/U/J/L

PANASONIC PT-MZ880 /E/U/J/L



The Panasonic model PT-MZ880 /E/U/J/L is an LCD laser projector with WUXGA 1920 x 1200 resolution and a contrast of 3000000:1. It is a laser projector with 20000 hours of light life, which is equivalent to over 13.7 years at 4 hours per day. Includes a lens shift and keystone correction function, which provides freedom during installation. The projector can illuminate images up to 909 cm wide thanks to its 8000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, max. 606 cm is recommended. The model is also Full HD 1080P compatible. Even projection onto the ceiling is possible thanks to the 360° projection. The model was built by Panasonic in 2021 and is no longer current, but is still very popular in our projector database.

Brief Introduction

Beta 2.5

Display Type



3 x 0,76" LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Ansi-Lumen

Projector 8000

Screen 3556 Lux (200 cm Screen width)

Contrast

3000000:1

3000000:1

Black Level

0,0027 min. Lumen

0,001 min. Lumen

Lens shift

Vert.: +/-67% Hori.: +/-35%

Resolution

WUXGA 1920 x 1200

Video Modes

2.304.000 Pixel

Application

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

Light Source

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Light Life

Very large screen width and rooms with plenty of light and shaded daylight.

Operating Costs

Laser

Focus

Article Nr.: ET-RFM100

Zoom

20000 h.

Objective

0,00 € Laser

Throw Ratio

Powered

Audio

Powered 1,65

Connections

optional

Throw Ratio


optional

Audio

10W Mono

Connections

3 x HDMI in
D-sub 15pin in und out
Mini Jack Audio in und out
USB Typ A in



RS232C Din 9 pin in und out
2 x RJ45 in



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
520W
560 x 205 x 443 mm (22"x8,1"x17,4") 50,86 L/dm³
35 / 28 dB in Eco Mode

Weight
Keystone
Illumination
Frequenz
Foot-Lamberts


18,60 kg / 39,68 lbs.
Vert.: +/-30°
Hori.: +/-25°
90%
H-sync: 15-91 kHz
V-sync: 24-100 Hz
Range max.: 162 MHz
330 fL / max. 909 cm screen width
1131 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- 360° installable
- 24/7 continuous operation capable
- PLink™
- Optional Wi-Fi network compatible.
- Lan network compatible.
- DICOM Simulation
- Model PT-MZ770LB is with black case.

Screen Mirroring

-



Optional accessories

	Luftfilter Original	ET-RFM100 / ET-RFM200	87,73 €
	Deckenhalterung Original	ET-PKD120S	EOL €
	Deckenhalterung Original	ET-PKD120H	EOL €
	Objektiv Original	ET-ELW22 / LNS-W22	2.047,38 €
	Objektiv Original	ET-ELW21 / LNS-W21	1.247,54 €
	Objektiv Original	ET-ELW20 / LNS-W20	1.547,06 €
	Objektiv Original	ET-ELU20	7.595,33 €
	Objektiv Original	ET-ELT23 / LNS-T23	1.078,41 €
	Objektiv Original	ET-ELT22 / LNS-T22	1.078,41 €
	Objektiv Original	ET-ELS20 / LNS-S20	687,03 €



Optional Lenses



Name	Ratio	Distance	Shift V	Shift H	Zoom
ET-ELT23	4.44-7.12:1	888-1424 m	+/-67%	+/-35%	Powered
ET-ELT22	2.72-4.48:1	544-896 m	+/-67%	+/-35%	Powered
ET-ELS20	1.61-2.76:1	322-552 m	+/-67%	+/-35%	Powered
ET-ELW20	1.21-1.66:1	242-332 m	+/-67%	+/-35%	Powered
ET-ELW22	0.79-0.98:1	158-196 m	+/-67%	+/-35%	
ET-ELU20	0.33-0.35:1	66-70 m	+/-67%	+/-35%	Powered
ET-ELW21	0.76:1	152 m	0.00% Fix	+/-35%	No Zoom

Status

2021 Discontinued (EOL) // Last update of the data: 2025-10-27
Created: 2018-09-05 09:14:38

Data



More Details



HCinema

<https://www.projector-database.com/pro/panasonicptmz880-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.