Traveller 787





Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast Black Level

Offset

Resolution

Video Modes

Application

Light Source

Light Life **Operating Costs**

Focus

Objective

Zoom

Throw Ratio

Audio

Connections

Ceiling Mounting Power

Size WxHxD **Operating Noise**

Weight

Keystone Illumination

Frequenz V-sync: 43-130 Hz

Foot-Lamberts

Features Status

o 1000 Lux (bei 200 cm Screen)

Lux:1000 Lux

4/3 screen width:200 cm

Screen:1 Gain

Room light max.: 200 Lux Candela pro m²:319 cd/m²

Foot-Lamberts:93 fL

800:1 full on/off 1.255 min. Lumen

The 787 LCD projector from Traveller has 3000 Ansi lumens, a contrast of 800:1 and an XGA 1024 x 768 resolution. Thanks to the brightness of 3000 Ansi lumens, a picture width of 477 cm

is possible. In room light, the picture should be max. 318 cm wide. This model is no longer

XGA 1024 x 768 786.432 Pixel

SXGA 1280 x 1024 compressed

3 x LCD TFT Panel

XGA 4/3 Liquid Crystal Display

NTSC, PAL, SECAM

Standard-Portabel | External training and company presentations, as well as product

presentations.

offered by Traveller.

800:1 full on/off

3,7500 min. Lumen

3000

Medium screen width or rooms with a little more ambient light, max. 200 lumens.

270W Lamp 1500 h.

Manual

Manual

2 x 5W

DVI **VGA**

Cinch Stereo

400W

322 x 130 x 352 mm (12,7"x5,1"x13,9") 14,73 L/dm³

34dB

6,00 kg / 13,23 lbs.

H-sync: 15-100 kHz

93 fL / max. 477 cm screen width

319 cd/m²

- Discontinued (EOL) // Last update of the data: 2023-08-04

Data

More Details





Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.