


Vivitek KU801Z

VIVITEK KU801Z



The Vivitek KU801Z is a DLP laser projector with WUXGA 1920 x 1200 resolution and a contrast ratio of 3,000,000:1. Thanks to the laser, the projector has a specified light source life of 20,000 hours ? which equates to over 13.7 years if used for four hours a day. The integrated lens shift provides flexibility when setting up the projector. The projector is capable of illuminating an image width of 800 cm effectively. In rooms with ambient light, the projector performs best with a narrower image width; we would recommend a maximum of 533 cm in such cases. If the image is still too small, the integrated edge-blending software can help to project a large image using additional projectors. Even 1080p video signals are no problem for the projector, which can project Blu-ray -rays onto the ceiling itself.

 1 x 0,67" DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Projector	8000	Screen	3556 Lux (200 cm Screen width)
Contrast	3000000:1 full on/off	Screen	3000000:1 full on/off
Black Level	0,0021 min. Lumen	Screen	0,001 min. Lumen

Vert.: +15% -5% Hori.: +/-2%
WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

3D Compatibility Frame Sequential (3D Ready)

Application Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source Laser

Light Life 20000 h.

Operating Costs 0,00 € Laser

Focus Manual


Zoom Manual x1,65

Objective optional

Throw Ratio optional

Audio 1 x 10W

Connections 2x HDMI in und 1x out
3D Sync out
D-sub 15pin in und out
Mini Jack Audio in
USB-A (5V/1.5A) in
Mini USB in



RS232C Din 9 pin in
RJ45 in
HDBaseT (Optional)




Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
525W
496 x 160 x 380 mm (19,5"x6,3"x15") 30,16 L/dm³
36 / 31 dB in Eco Mode

Weight
Keystone
Illumination

12,00 kg / 26,46 lbs.
Vert.: +/-30°
Hori.: +/-30°
85%



Frequenz
Foot-Lamberts

-
330 fL / max. 800 cm screen width
1131 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- Kensington Slot
- Warping
- 360° installable
- 24/7 continuous operation capable
- Edge Blending
- PJLink™
- Lan network compatible.
- supports 21:9 aspect ratio
- Projector Control Software (Geometry, Colour, Lens, Picture)

Screen Mirroring

-

Please note

Offset (Full Image Width)
+98 ~ +122 / ST1:+98 ~ +121 / ST2 +98 ~ +122

Optional accessories

	Fernbedienung mit Laserpointer	5041841300	31,39 €
	Deckenhalterung weiß	Halterung45W	83,60 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Standart	1.15-1.9:1	230-380 m	15-5%	+/-2%	Manual
ST2	0.8-1.2:1	160-240 m	15-5%	+/-2%	Manual
ST1	0.5:1	100 m	15-5%	+/-2%	No Zoom

Status
2026 Current model // Last update of the data: 2026-09-04
Created: 2026-08-18 09:32:32

Data



More Details



H Cinema

<https://www.projector-database.com/pro/vivitekku801z-en.html>

